

PATENT
Attorney Docket No. 101.0077-00000
Customer No. 22882

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Gary K. Michelson)
Serial No.: 09/553,573)
Filed: April 19, 2000)
For: Artificial Hemi-Lumbar Interbody)
Spinal Implant Having An Asymmetrical)
Leading End And Method For)
Installation Thereof)

Group Art Unit: 3738

Examiner: B. Snow

FAX RECEIVED

NOV 25 2002

GROUP 3700

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

REPLY TO COMMUNICATION

In response to the Office Communication dated November 20, 2002, Applicant submits the following remarks:

REMARKS

In the Communication, the Examiner objected to Applicant's Amendment filed September 11, 2002 ("the September Amendment") as being not fully responsive to the prior Office Action for failing to provide a list of claims readable on the elected species for new claims 102-140 presented therein. Applicant respectfully traverses the Examiner's contention that the September Amendment is non-responsive. In the Remarks of the September Amendment, Applicant provided a list of the new claims

MARTIN & FERRARO, LLP
14500 Avion Parkway - Suite 300
Chantilly, Virginia 20151

Telephone
(703) 679-9300

Facsimile
(703) 679-9303

FACSIMILE TRANSMITTAL

TO:

Name: Examiner B. Snow

Firm: U.S. Patent & Trademark Office

Fax No.: 703-872-9302

Subject: U.S. Patent Application
No. 09/553,573

Filed: April 19, 2000

**ARTIFICIAL HEMI-LUMBAR INTERBODY
SPINAL IMPLANT HAVING AN
ASYMMETRICAL LEADING END AND
METHOD FOR INSTALLATION THEREOF**

Attorney Docket No. 101.0077-00000

Customer No. 22882

FROM:

Name: Thomas H. Martin, Esq.

Phone No.: 703-679-9300

No. of Pages (including this): 4

Date: November 25, 2002

Confirmation Copy to Follow: No

VED

12

'00

FAX RECEIVED

NOV 25 2002

GROUP 3700

Message:

CERTIFICATE OF TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that the attached Reply to Communication including Exhibit A is being facsimile transmitted to the U.S. Patent and Trademark Office on November 25, 2002.


Sandra L. Blackmon

If there is a problem with this transmission please call Sandy Blackmon at 703-818-3219 or the sender at the number above.

The information contained in this facsimile message is privileged and confidential information intended only for the use of the addressee listed above. If you are not the intended recipient or the employee or agent responsible to deliver this message to the intended recipient, please do not use this transmission in any way, but contact the sender by telephone.